



The Fantasia Collection

2014/15

**Fantasia**
Ceiling Fans

...the greener way to move air



Why Fantasia?

Warranty

As a sign of our confidence in our fans we back every Fantasia motor with a 5 year, 10 year or 15 year motor warranty, depending on range. If you have any problems within the warranty period then we'll repair or replace it free of charge. Remote controls carry a 2 year warranty.

Quiet, efficient, low maintenance

Fantasia fans combine larger motors with a steeper blade pitch to maximise the circulation of air whilst ensuring whisper quiet, economical and well-balanced operation.

Low Energy

In the Elite range you will find our latest technology, including low energy models. Many of our ceiling fans can now take our new LED bulbs, further reducing energy costs. Choose one of our low energy fans with an LED light and you could make a combined saving of 80% on a traditional ceiling fan with light.

Control Options

A number of fan models are operated by remote control as standard but those with pull cords can still be fitted with a remote controller as an added option. Some remote controls operate the fan reverse function from the handset. We also supply single wall controls to operate fan speeds and double wall controls to operate both the speeds and the fan light.

Lighting Options

Many fan models come complete with lights but almost all are light adaptable giving a wide variety of options to suit individual tastes. Our light adaptable fans are pictured with suggestions for additional light kits and don't forget that many of these can take our new energy efficient dimmable LED bulbs.

Reverse Function

All Fantasia fans have a built in reverse function so they can be operated in summer for a cooling effect and then reversed in winter to re-circulate warm air trapped at ceiling level, eliminating cold spots and draughts. On some fan models, this feature is operated via the remote control handset.

Versatile Installation

Our range consists of drop mounted fans, dual mount fans and flush mount fans to suit varying ceiling heights, as well as a selection of longer drop rods. Conversion kits and specialist fixings for conservatories are also available. Whatever your installation requirements there will be a Fantasia fan to suit your needs.

Customer Service

At Fantasia we are confident that our customer service is second to none. Our friendly, helpful team are available to answer any questions you may have, from choosing the right fan, through to assembly and installation. Fantasia are past winners of the South East Parcellforce Worldwide Small Business Awards.




Welcome to the Fantasia Collections 2014/15


Formed in 1985, Fantasia Ceiling Fans are credited as the pioneers of the UK ceiling fan market and have developed a reputation for exceptional quality, value for money and an after-sales service that is second to none.



See page 06



See page 45



See page 55

The Fantasia range has been continuously developed over the past three decades and we still strive to remain at the forefront of product development, consistently introducing innovative new designs and utilising cutting-edge technology.

Whilst there is an initial cost in providing these, there are significant savings to be made over years of running a reliable and low energy product. We are confident that when you purchase one of our fans you will be delighted with it and if you have any queries you can put our customer service team to the test.

Energy Efficiency

We have continued to add energy efficient features to the models in our range. Our new LED bulbs fit into a standard G9 fitting but they are 3.8w each compared to the 60w of a standard G9 bulb - a massive 94% energy saving. Our LED bulbs are fully dimmable via our remote controls and produce an impressive 330 lumens per bulb, with an average life of 30,000 hours. They also come with a 2 year warranty for complete peace of mind.

Our low energy DC motor ceiling fan range is wider than ever, with new models, additional finishes and new blade styles for 2014/15. Our DC motor fans take your household power supply and convert it to a low voltage supply for the windings, thereby consuming 60% less electricity than a traditional AC motor. In addition, a greater degree of speed control can be applied to DC motors and therefore our low energy models offer 6 speeds in forward and reverse, twice that of a normal fan.

Key

Keep an eye out for these key features on each product page.



Fan with remote control



DC low energy motor



LED low energy lights



For indoor or covered outdoor use



New products for this range

The Elite Range 04

Tau	06-07
Zeta	08-09
Delta	10-11
Delta RD	12
Blade	13
Omega	14
Omega CS	15
Viper Plus	16-17
Quadrant	18
Splash	19

The Fantasia Range 20

Viper	22-23
Sigma	24
Propeller	25
Orion	26
Pheonix	27
Spinnaker	28
Gemini	29
Medina	30
Palm	31
Trinity	32
Amalfi	33
Riviera	34
Classic	35
Vienna	36
Atom	37
Mayfair	38-41
Capri	42
Capri Combi	43
Vento Dragonfly	44
Vento Hurricane	45

The Eurofans Range 46

Neptune	48
Genoa	49
Belaire	50
Bali, Santa Monica, Kroma & Scorpion	51
Rio, Atlanta & Rimini	52
Commercial	53

Controls 54

Desk Fans 55

Additional information 56

Mounting options	56
Useful information	57
FAQs	58
Measuring	59

“I was more than impressed with the service I received and would highly recommend Fantasia Fans to anyone looking for a reliable ceiling fan.”

William Drew, Mid Glamorgan





The Elite Range

Next Generation Air Movement. Seamlessly combining exceptional styling with next generation technology, if you are looking for something that extra bit special then the Elite range is for you. Drawing on cutting edge technology such as low energy motors, LED lighting and patented designs, the Elite Range delivers elegant air movement without compromise.

Tau



115762 **NEW**
 Matt White 50"/1270mm
 Blades Matt White

NEW 115762



Includes 10w LED bulb with 80w equivalent output

NEW 115762



NEW 115762




Key Features

- DC motor uses 60% less energy than a standard ceiling fan
- 10w LED light with 80w equivalent output
- Install with 2,3 or 4 blades to suit. 4 blades included in the box
- Full remote control operation
- 6 speeds in forward & reverse

Technical

- Light** 1 x 10w GX53
- Operation** Enhanced remote control
- Net weight** 6.5kg
- Rod diameter** 27mm
- Rod length** 6"/150cm
- Mounting** Drop mount



Tau

115779 **NEW**
Matt Silver 50"/1270mm
Blades Matt Silver

NEW 115779



Tau is supplied with 4 blades but can be fitted with 2, 3 or 4 as required

NEW 115779



NEW 115779



Zeta



115076
Brushed Nickel 52"/1320mm
Blades Walnut

115076




Key Features

- DC Motor uses 60% less electricity than a standard ceiling fan
- The enhanced remote control system offers 6 speeds in forward and 6 in reverse and light on/off/dim
- Curved blades for improved air movement
- Blades are made from eco-friendly sustainable Paulownia Wood
- Install with or without light

Technical

Light 1 x 60w G9
Operation Enhanced Remote Control
Net Weight 10kg
Mounting Flush Mount



Zeta

115069
White 52"/1320mm
Blades White

115083
Matt Black 52"/1320mm
Blades Black

Also supplied
with a cover for
the light.
Ideal if you are
using the fan for
ventilation only



115069



115083

Your response may seem like a small thing to you but this is the sort of “can you believe it” type of service that gets talked about and generates masses of goodwill – I wouldn’t consider any other brand.”

Mike Parkin, Oxfordshire

Delta



114376
White 52"/1320mm
Blades White

115199
White 52"/1320mm
Light Aries 2 x 50w G9
Blades White

115274
White 52"/1320mm
Light Sorrento 3 x 50w GU10
Blades White

Low energy motor with 6 forward and 6 reverse speeds




Key Features

- DC Motor uses 60% less electricity than a standard ceiling fan
- Exclusive Pulse technology provides varying speeds to create a natural breeze effect on hot summer days
- Complete with enhanced remote control which operates reverse function and 6 forward and 6 reverse speeds

Technical

Light Operation Can be added
Enhanced Remote Control
Net Weight 9kg
Rod Diameter 22mm
Rod Length 6"/150mm
Mounting Drop Mount



Delta

114352
 Brushed Nickel 52"/1320mm
 Blades Dark Oak
 Blade Reverse Maple

115380 **NEW**
 Brushed Nickel 52"/1320mm
 Light Aries 2 x50w G9
 Blades White

115182
 Brushed Nickel 52"/1320mm
 Light Aries 2 x50w G9
 Blades Maple
 Blade Reverse Dark Oak

114352



NEW 115380



115182



Optional Extras

This range of ceiling fan can be upgraded to include LED light bulbs. LED bulbs will reduce the light power consumption from 120w to less than 10w.

Please see the price list or website for product codes for LED versions of this range.



You may have a lower ceiling and require the ceiling fan to be fitted flush rather than with a rod. This can be achieved with a Flush Mount Kit

- 333432 Flush Mount Kit White
- 333463 Flush Mount Kit Brushed Nickel



Delta RD

PRODUCT
NEW
IN RANGE

REMOTE
RC
CONTROL

LOW ENERGY
DC
CONSUMPTION

LOW ENERGY
LED
LIGHTS
Optional

MOTOR
15
YEAR
WARRANTY

116233 **NEW**
Brushed Nickel 52"/1320mm
Blade Maple

116257 **NEW**
Brushed Nickel 52"/1320mm
Light Aries 2 x 50w G9
Blades Dark Oak

116264 **NEW**
Brushed Nickel 52"/1320mm
Light Sorrento 3 x 50w GU10
Blades Maple



Visit our website
fantasiaceilingfans.com
for more lighting options.



Optional Extras

This range of ceiling fan can be upgraded to include LED light bulbs. LED bulbs will reduce the light power consumption from 120w to less than 10w.

Please see the price list or website for product codes for LED versions of this range.



You may have a lower ceiling and require the ceiling fan to be fitted flush rather than with a rod. This can be achieved with a Flush Mount Kit

333432 Flush Mount Kit White
333463 Flush Mount Kit Brushed Nickel




Key Features

- DC Motor uses 60% less electricity than a standard ceiling fan
- Exclusive Pulse technology provides varying speeds to create a natural breeze effect on hot summer days
- Complete with enhanced remote control which operates reverse function and 6 forward and 6 reverse speeds

Technical

Light Can be added
Operation Enhanced Remote Control
Net Weight 9kg
Rod Diameter 22mm
Rod Length 6"/150mm
Mounting Drop Mount





Blade

115014
White 42"/1070mm

115007
Brushed Aluminium 42"/1070mm

115014



The white version of this fan is shown here with optional rod and conversion kit

“Thank you for the excellent service – the quality of the product was never in doubt but the after-sales service has more than matched it.”

Chris Quinnell, Brighton

115007




Key Features

- Patented single blade design
- Design Resource Awards International winner
- Excellent air flow at low operating speeds
- Dual mount (can be fitted flush to the ceiling or on a drop rod & conversion kit. Available separately).

Technical

Operation	Remote Control
Net Weight	8kg
Rod Diameter	27mm
Rod Length	6"/150mm
Mounting	Drop Mount



Note: Total turning span on fan is 1372mm

Omega

PRODUCT
NEW
IN RANGE

REMOTE
RC
CONTROL

LOW ENERGY
DC
CONSUMPTION

LOW ENERGY
LED
LIGHTS
Optional

MOTOR
15
YEAR
WARRANTY

114345
Brushed Nickel 44"/1120mm
Blades Dark Oak,
Blade Reverse Maple



Visit our website
fantasiaceilingfans.com
for lighting options.

114345




Key Features

- DC Motor uses 60% less electricity than a standard ceiling fan
- Exclusive Pulse technology provides varying speeds to create a natural breeze effect on hot summer days
- Complete with enhanced remote control which operates reverse function and 6 forward and 6 reverse speeds
- Aries or Sorrento light kit can be added

Technical

Light Operation	Can be added Enhanced Remote Control
Net Weight	9kg
Rod Diameter	22mm
Rod Length	6"/150mm
Mounting	Drop Mount



Omega CS

116332 **NEW**
Brushed Nickel 52"/1370mm
Light Aries 2 x 50w G9
Blades Matt Black

116349 **NEW**
Brushed Nickel 52"/1370mm
Blades White

116356 **NEW**
Brushed Nickel 52"/1370mm
Blades Dark Oak

116332 **NEW**



The Aries light kit can be added to any fan in the Omega range

116349 **NEW**



116356 **NEW**



Optional Extras

This range of ceiling fan can be upgraded to include LED light bulbs. LED bulbs will reduce the light power consumption from 120w to less than 10w.

Please see the price list or website for product codes for LED versions of this range.



You may have a lower ceiling and require the ceiling fan to be fitted flush rather than with a rod. This can be achieved with a Flush Mount Kit

333432 Flush Mount Kit White
333463 Flush Mount Kit Brushed Nickel

Shorter blades (44" span) are also available for this fan.



Viper Plus

PRODUCT
NEW
IN RANGE

REMOTE
RC
CONTROL

LOW ENERGY
LED
LIGHTS
Optional

MOTOR
15
YEAR
WARRANTY

114628
Stainless Steel 54"/1370mm
114727
Stainless Steel 44"/1120mm
Blades Maple

114659 **NEW**
Stainless Steel 54"/1370mm
114758
Stainless Steel 44"/1120mm
Blades Dark Oak

Viper Plus has the reverse function on the remote control handset




Key Features

- Viper Plus with reverse function with remote control to operate the 3 speeds, reverse function and light dimming
- The ultimate blend of stunning design and exceptional air movement
- Use in summer for cooling and in winter to re-circulate warm air
- Integral halogen light
- Can be flush mounted with the use of an additional kit

Technical

Light Operation 2 x 60w G9 Halogen Remote Control
Net Weight 12kg
Rod Diameter 27mm
Rod Length 6"/150mm
Mounting Drop Mount



Viper Plus

114604
White 54"/1370mm
114703
White 44"/1120mm
Blades Gloss White

114642 **NEW**
Antique Brass 54"/1370mm
114741
Antique Brass 44"/1120mm
Blades Dark Oak



Optional Extras

This range of ceiling fan can be upgraded to include LED light bulbs. LED bulbs will reduce the light power consumption from 120w to less than 10w.

Please see the price list or website for product codes for LED versions of this range.



You may have a lower ceiling and require the ceiling fan to be fitted flush rather than with a rod. This can be achieved with a Flush Mount Kit

- 333432 Flush Mount Kit White
- 333456 Flush Mount Kit Stainless Steel
- 333449 Flush Mount Kit Antique Brass



Quadrant



115151
Brushed Aluminium 42"/1070mm
Blades Matt Silver

115151




Key Features

- Die cast aluminium body
- Patented angular design
- Low energy dimmable light
- Use in summer for cooling and in winter to re-circulate warm air
- Complete with remote control to operate the 3 speeds and light on/off/dim
- Motor Magnets ensure motor housing squares up at rest

Technical

Light 40w 2c Dual Ring Fluorescent
Operation Remote Control
Net Weight 9kg
Rod Diameter 25mm (square)
Rod Length 6"/150mm
Mounting Drop Mount





Splash

114512
Matt Silver 36"/914mm
Blades Matt Silver




We are fan experts!
We've got the answers and want to supply the right fan for you

Key Features

- Low energy, long life LED lights
- Funky eye-catching silhouette
- Durable ABS blades and fan body
- Use in summer for cooling and in winter to re-circulate warm air
- Complete with remote control to operate the 3 speeds and light on/off

Technical

Light 7 x 1w LED
Operation Remote Control
Net Weight 10kg
Rod Diameter 27mm
Rod Length 6"/150mm
Mounting Drop Mount



“This sort of service is unfortunately becoming rare but I have always used your product and this just confirms my loyalty was indeed the correct decision, even though sometimes a less expensive option is tempting.”

Steve Bradley, Waltham Abbey





The Fantasia Range

Fantasia Ceiling Fans are credited as the pioneers of the UK ceiling fan market with a reputation for exceptional quality, service and value for money. Our extensive Fantasia range consists of both new models and well-established designs that we know our customers love. With such a variety of options you are sure to find something suitable, whatever your requirements.

Viper



114147 **NEW**
 Stainless Steel 54"/1370mm
 114154
 Stainless Steel 44"/1120mm
 Blades Dark Oak

110941
 Stainless Steel 54"/1370mm
 111054
 Stainless Steel 44"/1120mm
 Blades Maple

Fantasia fan motors are of silicon steel construction with double sealed bearings



NEW 114147




110941

Key Features

- The ultimate blend of stunning design and exceptional air movement
- Complete with remote control to operate the 3 speeds and light on/off/dim
- Use in summer for cooling and in winter to re-circulate warm air
- Integral halogen light
- Available in two sizes

Technical

Light 2 x 60w G9 Halogen
Operation Remote Control
Net Weight 12kg
Rod Diameter 27mm
Rod Length 6"/150mm
Mounting Drop Mount



Viper

110927
White 54"/1370mm
111030
White 44"/1120mm
Blades Gloss White

111856
Pewter 54"/1370mm
111863
Pewter 44"/1120mm
Blades Gloss Black



“First class service from a first class company.”
Janet Elliott, Birmingham



Optional Extras

This range of ceiling fan can be upgraded to include LED light bulbs. LED bulbs will reduce the light power consumption from 120w to less than 10w.

Please see the price list or website for product codes for LED versions of this range.



You may have a lower ceiling and require the ceiling fan to be fitted flush rather than with a rod. This can be achieved with a Flush Mount Kit

- 333432 Flush Mount Kit White
- 333456 Flush Mount Kit Stainless Steel
- 333449 Flush Mount Kit Antique Brass



Sigma



114307
Stainless Steel 42"/1070mm
Blades Dark Oak
Blades Reverse Maple

114253
Gloss White 42"/1070mm
Blades Gloss White

The blades are Dark Oak one side and Maple on the reverse

114307



114307



114253




Key Features

- Sleek design to complement modern interiors
- Complete with remote control to operate the 3 speeds and light dimming
- Use in summer for cooling and in winter to re-circulate warm air
- Integral halogen light

Technical

Light	2 x 50w G9
Operation	Remote Control
Net Weight	6.5kg
Rod Diameter	27mm
Rod Length	6"/150mm
Mounting	Drop Mount





Propeller

114581 **NEW**
 White 54"/1370mm
 114598
 White 44"/1120
 Blades White

114543
 Brushed Nickel 54"/1370mm
 114550
 Brushed Nickel 44"/1120mm
 Blades Dark Oak

114567
 Brushed Nickel 54"/1370mm
 114574
 Brushed Nickel 44"/1120mm
 Blades Maple

NEW 114581



Like this fan?
 You may also like the
 Vento Dragonfly on
 page 44

114543



114567




Key Features

- Unique, elegant 2-blade design
- Complete with remote control to operate the 3 speeds and light dimming
- Use in summer for cooling and in winter to re-circulate warm air
- Integral halogen light
- This fan is available in 2 sizes

Technical

Light 1 x 60w G9 Halogen
Operation Remote Control
Net Weight 9kg
Rod Diameter 27mm
Rod Length 6"/150mm
Mounting Drop Mount



Orion



115298
Brushed Aluminium 44"/1120mm
Blades Matt Silver

115311
Brushed Aluminium
with light 44"/1120mm
Blades Matt Silver

115298



115311




Key Features

- Solid Brushed Aluminium fan body
- Use in summer for cooling and in winter to re-circulate warm air
- Available with or without integral halogen light
- Complete with remote control

Technical

Light 1 x 100w J-Type 78mm Halogen
Operation Remote Control
Net Weight 9kg
Rod Diameter 27mm
Rod Length 6"/15cm
Mounting Drop Mount

All dimensions in mm





Phoenix

111764
Stainless Steel 42"/1070mm
Blades Matt Maple

111771
Matt White 42"/1070mm
Blades Matt White

114062 **NEW**
Anitque Brass 42"/1070mm
Blades Dark Oak

Phoenix Antique Brass now comes with Dark Oak blades

111764



111771



NEW 114062




Key Features

- Delicate lattice around fan body and scrolled blade carrier design
- Complete with remote control to operate the 3 speeds and light dimming
- Use in summer for cooling and in winter to re-circulate warm air
- Integral halogen light

Technical

Light 2 x 50w G9
Operation Remote Control
Net Weight 9kg
Rod Diameter 27mm
Rod Length 6"/150mm
Mounting Drop Mount



Spinnaker



114772 **NEW**
 Stainless Steel 52"/1320mm
 114765
 Stainless Steel 40"/1020mm
 Blades Stone

114802
 Stainless Steel 52"/1320mm
 114819
 Stainless Steel 40"/1020mm
 Light Sparta 3 x 60w G9
 Blades White

NEW 114772



Blade options (clockwise from top) White, Blue, Stone (Khaki), Racing Green, Red




Key Features

- Canvas blade technology
- Washable blades available in a variety of striking colours
- Light kits can be added
- Use in summer for cooling and in winter to re-circulate warm air
- Pull cord operates the 3 speeds of the fan
- Can be upgraded to remote control operation

Technical

Light 3 x 60w G9 (where fitted)
Operation Pull Cord
Net Weight 8kg
Rod Diameter 22mm
Rod Length 6"/150mm
Mounting Drop Mount





Gemini

111849
Pewter with light 42"/1070mm
Light Venice 3 x 50w GU10

111931
Pewter without light 42"/1070mm
Blades Gloss Black



All ceiling fans require clearance around the blades in order to allow effective airflow

Optional Extras

This range of ceiling fan can be upgraded to include LED light bulbs. LED bulbs will reduce the light power consumption from 180w to less than 15w. Please see the price list or website for product codes for LED versions of this range.



You may have a higher ceiling and require the ceiling fan to be fitted on a drop rod rather than flush. A Drop Rod and conversion kit will be required to achieve this. Please see our price list or website for product codes

As standard this fan is controlled by manual pull cords. Why not add a remote control for cordless operation of the 3 speeds of the ceiling fan and the light on/off/dim functions?




Key Features

- Eye-catching decorative caging around fan body
- Complete with Venice light kit
- Independent pull cords operate the 3 speeds of the fan and the light
- Use in summer for cooling and in winter to re-circulate warm air
- Also available without a light

Technical

Light 3 x 50w GU10 Halogen
Operation Pull Cords
Net Weight 6.5kg
Rod Diameter 22mm – ordered separately
 Conversion Kit also required
Mounting Flush Mount as standard



Medina

PRODUCT
NEW
IN RANGE

OUTDOOR
IP54
INDOOR

MOTOR
10
YEAR
WARRANTY

115342
White 52"/1320mm
Blades White Acrylic

115359
White 52"/1320mm
Light Patio 2 x 60w ES
Blades White Acrylic

115342



115359




Key Features

- For indoor or covered outdoor use
- IP54 rated
- Double plated for rust resistance in coastal areas
- Acrylic blades will not absorb moisture
- Use in summer for cooling and in winter to re-circulate warm air

Technical

Light 2 x 60w ES (where fitted)
Operation Pull Cord
Net Weight 8kg
Rod Diameter 22mm
Rod Length 6"/15cm
Mounting Dual Mount





Palm & Wicker

Palm
 114871
 Chocolate Brown 52"/1320mm
 Light Patio 2 x 60w ES
 111665
 Chocolate Brown 52"/1320mm
 Blade Natural Brown Acrylic

Wicker
 111696
 Chocolate Brown 48"/1220mm
 Blade Natural Wicker Acrylic



114871

The Patio Light kit shown on the Palm also fits Wicker



111696


“I will definitely recommend your fans in the future. It's so nice to know that I have proper backing from good people when I'm installing a product.”
 Paul Smith, Reading

Key Features

- For indoor or covered outdoor use
- IP54 rated
- Colonial style blades
- Independent pull cords operate the 3 speeds of the fan and the light
- Can be upgraded to remote control operation
- Use in summer for cooling and in winter to re-circulate warm air

Technical

Light 2 x 60w ES (where fitted)
Operation Pull Cords
Net Weight 8.6kg
Rod Diameter 22mm
Rod Length 6"/150mm
Mounting Drop Mount



Trinity



114826
Brushed Nickel 44"/1120mm
Blades Maple
Blades Reverse Dark Oak



Have any questions?
Visit our website
fantasiaceilingfans.com

114826



114826




Key Features

- Stylish 3-blade design
- Complete with remote control to operate the 3 speeds and light on/off/dim
- Use in summer for cooling and in winter to re-circulate warm air
- Integral halogen light

Technical

Light 1 x 75w J-Type 78mm
Operation Remote Control
Net Weight 9kg
Rod Diameter 22mm
Rod Length 6"/15cm
Mounting Drop Mount





Amalfi

111733
Stainless Steel 36"/914mm
Light 3 x 60w G9
Blades Washed Oak

111726
Gloss White 36"/914mm
Light 3 x 60w G9
Blades Matt White

Like this fan?
You may also like the
Capri on page 43



Optional Extras

As standard this fan is controlled by manual pull cords. Why not add a remote control for cordless operation of the 3 speeds of the ceiling fan and the light on/off/dim functions?




You may have a higher ceiling and require the ceiling fan to be fitted on a drop rod rather than flush. A Drop Rod and conversion kit will be require to achieve this. Please see our price list or website for product codes.

Key Features

- Flush mounted making it suitable for low ceilings
- Independent pull cords operate the 3 speeds of the fan and the light
- Can be upgraded to remote control operation
- Use in summer for cooling and in winter to re-circulate warm air

Technical

Light Operation 3 x 60w G9
Net Weight 6kg
Rod Diameter 22mm – ordered separately and Conversion Kit also required
Mounting Flush Mount



Riviera



110729
White 52"/1320mm
Blades Gloss White

110835
Stainless Steel 52"/1320mm
Blades Washed Oak
Blades Reverse Silver



110729



110835

Need a longer pull cord for your fan?
We can supply longer chain




Riviera comes complete with a 6"/150mm rod should you wish to drop mount the fan

Key Features

- A large dual mount fan ideal for larger rooms with lower ceilings
- Pull cord operation
- Blades interchangeable within the range
- Can be upgraded to remote control
- Light kit can be added

Technical

Light	Can be added
Operation	Pull Cords
Net Weight	7.5kg
Rod Diameter	22mm
Rod Length	6"/150mm
Mounting	Dual Mount



Note: Overall drop will increase by 120mm when rod mounted



Classic

110019
Polished Brass 52"/1320mm
Blades Matt Mahogany/
 Matt Oak & Cane

110033
Gloss White 52"/1320mm
Blades Matt White & Cane/
 Matt White

110224
Antique Brass 52"/1320mm
Blades Matt Oak and Cane/
 Matt Mahogany

110460
Gloss Black 52"/1320mm
Blades Matt Black/
 Matt Mahogany



Suggested Light Options – Please see our website for others



Schoolhouse Globe
 220046 Polished Brass
 220121 White
Light 1 x 60w G9



Saturn Globe
 220107 Polished Brass
 220091 White
Light 1 x 60w G9



Round Globe
 220053 Polished Brass
 220114 White
Light 1 x 60w G9




Dome Globe
 221623 White
 220138 Polished Brass
Light 1 x 60w G9

Key Features

- Perfect for traditionally-styled interiors
- Dual mount fixing means fan can be fitted with or without drop rod
- Use in summer for cooling and in winter to re-circulate warm air
- Pull cord operates the 3 speeds of the fan
- Can be upgraded to remote control operation

Technical

Light Can be added
Operation Pull Cord
Net Weight 7.4kg
Rod Diameter 27mm
Rod Length 6"/150mm
Mounting Dual Mount



NOTE: Overall drop will decrease by 120mm when flush mounted

Vienna



114505
 Stainless Steel with light
 42"/1070mm
Blades Washed Oak
Blades Reverse Matt Silver

114499
 Polished Brass with light
 42"/1070mm
Blades Matt Mahogany
Blades Reverse Matt Oak & Cane

114482
 Gloss White with light
 42"/1070mm
Blades Matt White
Blades Reverse Matt White & Cane

114505



Also available with alternative light kit. Please see our website for more details

114499



114482




Key Features

- Quick Fit System for faster installation
- Ideal for conservatories as it is supplied with an 18"/45cm drop rod
- Use in summer for cooling and in winter to re-circulate warm air
- Independent pull cords operate the 3 speeds of the fan and the light
- Also available without a light

Technical

Light 3 x 60w BC
Operation Pull Cords
Net Weight 6.4kg
Rod Diameter 27mm
Rod Length 18"/450mm
Mounting Drop Mount





Atom

115202
White 42"/1070mm
Blades White Acrylic

115212
Brushed Nickel 42"/1070mm
Blades Silver Acrylic



High Ceiling?
Order a longer
drop rod with your
ceiling fan


“Your website, your product, your advice and your outstanding service are an example the rest of commerce could learn from and I speak as a staff trainer for our largest high street chain.”
Peter Nelson, via email

Key Features

- Unique 3 bladed design
- Curved Acrylic Blades
- Integral Halogen Light
- Dual Mount – Can be flush or drop mounted

Technical

Light Light 1 x 60w G9
Operation Remote Control
Net Weight 8kg
Rod Diameter 27mm
Rod Length 6"/150mm
Mounting Dual Mount



Mayfair



110644
Gloss White 42"/1070mm
Blades Gloss White

111825
Gloss White 42"/1070mm
Light Amorie 3 x 60w G9
Blades Gloss White

You can add a remote control to any pull cord operated fan as an optional extra




Key Features

- Modern styling to complement any interior
- Flush mounted making it suitable for low ceilings (can be converted to drop rod style if required)
- Use in summer for cooling and in winter to re-circulate warm air
- Independent pull cords operate the 3 speeds of the fan and the light

Technical

Light Can be added
Operation Pull Cord
Net Weight 5.4kg
Rod Diameter 22mm – ordered separately
 Conversion Kit also required
Mounting Flush Mount





Mayfair

111757
Chrome 42"/1070mm
Light Sorrento 3 x 50w GU10
Blades Gloss Black

115496 **NEW**
Stainless Steel 42"/1070mm
Light Amorie 3 x 60w G9
Blades Dark Oak



110651
Fan also available
without a light



115441
Fan also available
without a light



Mayfair



111962

Antique Brass 42"/1070mm

Light Florence 3 x 60w G9

Blades Gloss Oak and Cane/Gloss Mahogany

115502 **NEW**

Polished Brass 42"/1070mm

Light Florence 3 x 60w G9

Blades Dark Oak

110583

Polished Brass and White 42"/1070mm

Blades White



111962



110057
Fan also available without a light



110583



NEW 115502




115458
Fan also available without a light

Key Features

- Modern styling to complement any interior
- Flush mounted making it suitable for low ceilings (can be converted to drop rod style if required)
- Use in summer for cooling and in winter to re-circulate warm air
- Independent pull cords operate the 3 speeds of the fan and the light

Technical

Light 3 x 60w G9 (where fitted)
Operation Pull Cord
Net Weight 5.4kg
Rod Diameter 22mm – ordered separately
 Conversion Kit also required
Mounting Flush Mount





Mayfair

110996 **NEW**
Matt Black 42"/1070mm
Light Venice 3 x 50w GU10
Blades Matt Black

110009 **NEW**
White and Stainless Steel 42"/1070mm
Light Amorie 3 x 60w G9
Blades White



110507
 Fan also available without a light



110606
 Fan also available without a light

Optional Extras

As standard this fan is controlled by manual pull cords. Why not add a remote control for cordless operation of the 3 speeds of the ceiling fan and the light on/off/dim functions?



You may have a higher ceiling and require the ceiling fan to be fitted on a drop rod rather than flush. A Drop Rod and conversion kit will be require to achieve this. Please see our price list or website for product codes.

Capri



110255
Stainless Steel 36"/914mm
Blades Washed Oak
Blade reverse Silver

110200
Gloss White 36"/914mm
Blades Matt White

110521
Gloss White and Stainless Steel 36"/914mm
Blades Matt White



Light Options



Venice
220237 Gloss White
220312 Stainless Steel



Amorie
221470 Stainless Steel
221463 Gloss White



Tulip
221555 Gloss White
220176 Stainless Steel




Sorrento
220527 Stainless Steel
220503 Gloss White

Key Features

- Compact design works particularly well in smaller rooms
- Flush mounted making it suitable for low ceilings (can be converted to drop rod style if required)
- Light kits can be added
- Use in summer for cooling and in winter to re-circulate warm air
- Independent pull cords operate the 3 speeds of the fan

Technical

Light Operation Can be added
Pull Cord
Net Weight 6kg
Rod Diameter 22mm – ordered separately and Conversion Kit also required
Mounting Flush Mount





Capri Combi

110187
Stainless Steel 36"/914mm
Light Venice 3 x 60w BC
Blades Silver
Blade reverse Washed Oak

110194
Gloss White 36"/914mm
Light Venice 3 x 60w BC
Blades Matt White

110538
Gloss White and Stainless Steel 36"/914mm
Light Venice 3 x 60w BC
Blades Matt White



Our 36"/914mm fans are suitable for smaller rooms and come flush mounted as standard, making them ideal for low ceilings



Optional Extras

As standard this fan is controlled by manual pull cords. Why not add a remote control for cordless operation of the 3 speeds of the ceiling fan and the light on/off/dim functions?



You may have a higher ceiling and require the ceiling fan to be fitted on a drop rod rather than flush. A Drop Rod and conversion kit will be require to achieve this. Please see our price list or website for product codes.

Vento Dragonfly

PRODUCT
NEW
IN RANGE


REMOTE
RC
CONTROL

MOTOR
10
YEAR
WARRANTY

115410 **NEW**
Chrome 54"/1370mm
Blades White Acrylic

A new range of ceiling fans from Fantasia.
Unique in design and high in quality!

NEW 115410




Like this fan?
You may also like
the Propeller on
page 23

Key Features

- Large motors provide exceptional air movement
- Full remote control operation
- Unique Formed Acrylic Blades

Technical

Light 1 x 60w E14
Operation Remote Control
Net weight 13kg
Rod diameter 22mm
Rod Length 6"/150mm
Mounting Drop Mount





Vento Hurricane

115366 **NEW**
Chrome 54"/1370mm
Blades White Acrylic

115373 **NEW**
Black Chrome 54"/1370mm
Blades Black Acrylic



NEW 115373




NEW 115366

Key Features

- Large motors provide exceptional air movement
- Full remote control operation
- Unique Formed Acrylic Blades

Technical

Operation	Remote Control
Net weight	13kg
Rod diameter	22mm
Rod Length	6"/150mm
Mounting	Drop Mount



“May I offer my sincere thanks and congratulate you on the most efficient speed at which my request was completed. I am astounded that in this day and age a company still has such wonderful customer service.”

Eddie Woods, Peterborough





The Eurofans Range

Our new Eurofans range brings style and value to your home. In a selection of modern & traditional styles, Eurofans provide reliable ventilation and lighting backed by a 5 year warranty.

Neptune



114086
White 52"/1320mm

114093
White 44"/1120mm
Blades White

114123
Stainless Steel 52"/1320mm

114116
White 44"/1120mm
Blades Matt Silver




Key Features

- Ideal for larger rooms
- Dual Mount – this fan can be mounted flush or drop rod style
- Integral Halogen Light
- Complete with Remote Control

Technical

Light 2 x 50w G9
Operation Remote Control
Net Weight 9kg
Rod Diameter 27mm
Rod Length 6"/150mm
Mounting Dual Mount





Genoa

114451
Stainless Steel 42"/1070mm
Blades Matt Beech,
Blades Reverse Matt Maple

114437
White 42"/1070mm
Blades White

Did you know you can reverse your fan in Winter to re-circulate warm air trapped at ceiling level?

114451



114437




Key Features

- Pull Cord Operation
- 3 x 60w Halogen Light
- 3 Speeds in forward and reverse
- Modern Styling
- Can be upgraded to Remote Control operation

Technical

Light 3 x 60w G9
Operation Pull Cords
Net Weight 6.5kg
Rod Diameter 22mm
Rod Length 6"/150mm
Mounting Dual Mount




Belaire



110545
White and Brass Combi
 42"/1070mm
Blades Matt White and Cane
Blades Reverse Matt White

110330
Polished Brass Combi
 42"/1070mm
Blades Matt Oak And Cane
Blades Reverse Mahogany

110095
White 42"/1070mm
Blades Matt White and Cane
Blades Reverse Matt White



110545



110095




110330

Key Features

- Dual mount fixing means fan can be fitted with or without drop rod
- 4"/12cm & 12"/30cm drop rods are included with the Belaire Fan
- Use in summer for cooling and in winter to re-circulate warm air
- Pull cord operates the 3 speeds of the fan

Technical

Light 3 x 60w BC (where fitted)
Operation Pull Cords
Net Weight 7kg
Rod Diameter 27mm
Rod Length 4"/100mm
Mounting Dual Mount



NOTE: Overall drop will increase by 70mm when rod mounted



Bali, Santa Monica, Kroma & Scorpion

Bali
111658
Stainless Steel 42"/1070mm
Light 3 x 50w GU10
Blades Maple

Santa Monica
114413
Stainless Steel 42"/1070mm
Light 3 x 60w BC
Blades Maple

Kroma
111986
Chrome 36"/914mm
Blades Stainless Steel

Scorpion
111603
Stainless Steel 42"/1070mm
Light 3 x 60w E14
Blades Maple

111658



114413



111986



111603



Refer to our website fantasiaceilingfans.com for the technical specification on these ceiling fans.


Rio, Atlanta & Rimini

Rio
 110323
White 42"/1070mm
 110248
White 36"/920mm
Light 3 × 60w
Blades White

Rio
 110378
White & Brass 42"/1070mm
 110347
White & Brass 36"/920mm
Light 3 × 60w
Blades White/White & Cane

Atlanta
 111573
White 30"/762mm
Light 1 × 60w
Blades White

Rimini
 111092
White 42"/1070mm
 111023
White 36"/920mm
Light 1 × 40w
Blades White/White & Cane



110323



110378



111573



111023



Refer to our website
fantasiaceilingfans.com
 for the technical specification
 on these ceiling fans.

Commercial Fans

111870
White 36"/920mm
Blades White
 Drop rod 12" included

111887
White 48"/1220mm
Blades White
 Drop rod 12" and 24" included

111894
White 56"/1420mm
Blades White
 Drop rod 12" and 24" included



Control Options



331650
SIC-1
 Controls 1 x fan,
 forward only



331667
RVO-1
 Controls 1 x fan,
 forward and reverse



331674
RVO-5
 Controls up to
 5 x fans, forward
 and reverse

Note: These controls are only compatible with our commercial fans.



Refer to our website
fantasiaceilingfans.com
 for the technical specification
 on these ceiling fans.

Controls

331742

Remote Control



Note: These controls do not switch the fan from forward to reverse. This must be done with the manual reverse switch on the fan itself. Only Fantasia wall controls can be used to control fan motors. A standard light dimmer used on a Fantasia fan motor will cause it to buzz.



White

- 334002 Fan Speed Control
- 334071 Lighting Dimmer
- 334149 LED Lighting Dimmer



Polished Brass

- 334019 Fan Speed Control
- 334088 Lighting Dimmer
- 334156 LED Lighting Dimmer



Satin Stainless Steel

- 334026 Fan Speed Control
- 334095 Lighting Dimmer
- 334163 LED Lighting Dimmer



Black Nickel

- 334033 Fan Speed Control
- 334101 Lighting Dimmer
- 334170 LED Lighting Dimmer



Technical Information

Fan Speed Control

Fits into a 35mm deep single gang box. Controls 3 fan speeds only. Maximum power rating is 200 watts. Requires twin and earth cable between fan and control. Please note you will need 1 controller per fan.

Lighting Dimmer

Fits into a 35mm deep single gang box. This standard tungsten/halogen lighting dimmer controls the light on/off/dim. Maximum power rating 400watts. Requires twin and earth cable between light and control

LED Lighting Dimmer

Fits into a 35mm deep single gang box. This LED lighting dimmer controls the light on/off/dim when only LED light bulbs are fitted. Maximum power rating 100watts. Requires twin and earth cable between light and control.

Desk Fans

A collection of high quality retro desk fans from Fantasia



NEW 119067 Bright Red



119029 Brushed Nickel



NEW 119081 Cream



119005 Gloss White



119012 Matt Black



NEW 119074 Pale Blue


Key Features

- 2 speeds
- 6 finishes to chose from
- 1 year warranty
- Adjustable head

Note: Gloss White, Matt Black & Brushed Nickel finishes are all additionally available fitted with a european plug.

Technical

Motor	25w 220-240v 50hz
Speeds	2
Net Weight	1.7kg
Head	Adjustable



Mounting Options

Converting a Flush Mount Fan to Drop Mount

Fig. 1
Flush Mounted



Fig. 2
Drop Mounted
using a drop rod
and conversion kit



Anatomy of a Conversion Kit



Drop Rods
Available from 12"/30cm to 72"/183cm
in most finishes.



441199
Big Strip Fastener



Conversion Kit

This is required when changing a flush mounted fan (fig 1) to a drop mount (fig 2). The conversion kit will allow a fan to be mounted on a slope up to 40 degrees. Different finishes available (refer to price list). Please note that when using a remote control the maximum angle reduces to 20 degrees.

Drop Rods

A drop rod lowers the fan to the required height above the floor. Available in 5 lengths from 12" (300mm) to 72" (1830mm). Please check carefully the type of drop rod the fan requires. Check whether the ceiling fan ordered requires a 22mm diameter drop rod or a 27mm diameter drop rod. Drop rods can be cut to size. Some finishes of drop rod are only available up to 30" (760mm) in length.

Big Strip Fastener

This can be useful in some conservatory installations. Ask your conservatory supplier whether a big strip fastener is suitable for your installation.

For technical advice and customer service please call 01959 564440
or email: technical@fantasiaceilingfans.com

When choosing a ceiling fan it is important to remember that it is more relaxing and efficient to run a larger fan on a slower speed than a smaller fan on a high speed.

Fantasia Fans range in size from 36"/914mm to 56"/1420mm in diameter to suit any installation. We do not recommend the use of a 36" fan in a conservatory, as it would not be sufficient to affect the build up of heat that a conservatory creates. A conservatory installation may require a drop rod and conversion kit. A drop rod and conversion kit can be ordered separately for flush mounted fans.

The guide below suggests the fan size most appropriate for the installation.

Room Size (ft)	Fan Size
12ft x 12ft (3.65m x 3.65m)	36"/42" (914mm/1070mm)
15ft x 12ft (4.57m x 3.65m)	42"/52" (1070mm/1320mm)
20ft x 14ft (6.10m x 4.27m)	52" (1320mm)
25ft x 12ft (7.62m x 3.65m)	2 x 42" (1070mm) or 1 x 52" (1320mm)

The size guide is based on rooms with ceilings of 8'2" (2.5m). For rooms with higher ceilings a drop rod should be used to drop the fan down to 8'2" (2.5m) above the floor. Should the room have abnormal heat conditions go to the next fan size up in relation to the information in the above size guide.

Fan blades

Fantasia fan blades are available in many different finishes. They can be swapped within each range. Often there is a different finish on the reverse side of the blade. The blade can be attached either way up to compliment different interiors.

Conversion kits

Flush mounted fans can be converted to drop mount by using a conversion kit and drop rod. Dual mount fans do not require conversion kits, and are supplied with a short drop rod. Longer rods are available. Please check rod diameter required when ordering.

Wiring

Fantasia Fans run from standard lighting wiring (two core and earth). If you wish to install a double wall control then three core and earth wiring is required.

Installation

We recommend installation is carried out in accordance with National Electrical Codes. The fixing point for the ceiling fan must be strong enough to hold 10 times the fan's stationary weight. Minimum recommended ceiling height for fan installation is 8'2"/2.5m. Ensure there is at least 8"/200mm between the fan blade and any obstruction. See our measuring up guide on P53.

Remote control

This is a popular way of controlling our ceiling fans and lights. The remote control consists of a handset and receiver and can be installed in any of our fans. You can fit the remote control after the fan has been installed. The remote control cannot be used in conjunction with a wall control, however, an on/off wall switch is recommended.

Technical

Fantasia fans can be operated in summer for a cooling effect and reversed in winter to re-circulate warm air trapped at ceiling level.

Fantasia fan motors are of silicon steel construction with double sealed bearings, ensuring long, quiet, reliable and maintenance-free operation. Fantasia motor housings are of metal or ABS construction. All metal surfaces are powder coated or plated and lacquered to give a permanent seal and prevent tarnishing.

All models operate on 220–240 volt 50–60hz electricity supply. The power ratings of our standard fan motors range from 60–75watts with 3 forward and 3 reverse speeds. Our Low Energy fan motors (found in the Elite range) use approximately 6 watts on low speed and 35 watts on high speed. Additionally these fans have 6 speeds in forward and 6 in reverse as well as a remote controlled reverse function.

Installing a Fantasia fan is similar to installing a light fitting but you must ensure that the fan blade tips are at least 8" (200mm) from any obstruction such as a sloping roof or beam. Blades should be mounted at least 7ft 6" (2.3m) from the floor.

Ceiling fans can be installed in any room, except bathrooms. In conservatories or rooms with higher ceilings a drop rod and conversion kit may be required (see page 48 for more information). Wall controls and remote controls are also available.

DC motors

We are energy conscious when looking for new product and for 2014 we have expanded our DC motor range, which uses 60% less power consumption than a standard fan. We have also included a low energy LED fan light and intend to expand this element of our range in the future.

Note: Wall controls cannot be used with low energy DC motors.

FAQ

Q. Why buy a Fantasia Fan?

A. Fantasia fans can be more expensive than others on the market but this can be explained by their many superior qualities. The silicon steel motors are larger, meaning more air movement, and have double sealed bearings to ensure durability and quiet operation. All metal finishes are double lacquered to eliminate tarnishing and all fan motors are supplied with a 5–15 year warranty, depending on the range.

Q. Do ceiling fans require any special wiring and are they difficult to fit?

A. A fan with or without lights can be wired into an existing lighting circuit and is a simple DIY job. If you are in any doubt then consult a qualified electrician.

Q. Are fans noisy and do they wobble?

A. Some competitors' fans are noisy and wobble because they are made from lower quality materials. Fantasia fans run quietly and, even when fitted with a drop rod, are very stable.

Q. How is the speed of the fan controlled?

A. Fantasia fans have either a remote control, wall control or an integral pull switch to operate the forward and reverse speeds. If a fan does not have a pull cord then it will be supplied complete with a remote control as specified. All our pull cord operated fans can be upgraded to either a wall control or a remote control.

Q. Can fans be operated from a wall control?

A. Fantasia fans can be operated by either a single wall control or, if the fan has a light, a double wall control/dimmer. A standard dimmer switch cannot be used to adjust fan speeds. Note that wall controls cannot be used on DC motors.

Q. What is the wattage of a fan motor?

A. The power rating of our fan motors ranges from 30 watts (DC motors) to 75 watts. The average fan motor is 65 watts. Generally speaking, the larger the fan the higher the motor wattage.

Q. How much does a fan cost to run?

A. Fantasia fans run off the standard lighting circuit (5 amp) and are very economical to run, costing approximately 5p for 8 hours at high speed – less than a 100w light bulb. The winter setting on our fans re-circulates warm air trapped at ceiling level, eliminating cold spots and draughts and distributing room heat without creating a cooling draft. Used correctly, a fan can save as much as 10% on energy bills during winter months.

Q. What is the minimum mounting height for a fan?

A. The British Standards Institute recommends that the blades should be no less than 7ft 6" from the floor.

Q. How do I work out the length of drop rod required when fitting the fan into a conservatory or high ceiling?

A. The drop rod length is determined by the ceiling height. The optimum height from the floor to the blade is between 7ft6" and 9ft and flush mounted fans will require a conversion kit to fit a drop rod.

Q. Can fans be installed on a sloping ceiling?

A. Fans can be installed up to an angle of 35° (20° if a remote control is fitted). A minimum of 8" must be allowed between the tip of the blade and the slope of the ceiling, or any other obstruction.

Q. Does the fan require any maintenance or cleaning?


A. All Fantasia fans have permanently sealed bearings, double lacquered surfaces and do not require maintenance. An occasional light dusting with a soft cloth is all that is required although it is suggested that all fixings/screws are tightened annually. Do not use liquids or polishers on any part of your ceiling fan as this may cause damage.



Measuring

Flush Mount

A flush mount ceiling fan can only be mounted on a flat ceiling




Blade tips should be at least 15cm from the nearest obstacle in any direction, e.g. tie bar, wall or roof beam

Ceiling fan blades should be at least 229cm from the floor

Drop Mount

Drop mounted fans can be mounted on flat or sloping ceiling up to 35 degrees in angle. Please note that when a remote control is installed the maximum ceiling angle is 20°.



Blade tips should be at least 15cm from the nearest obstacle in any direction, e.g. tie bar, wall or roof beam

Different rod lengths are available for most fans

Ceiling fan blades should be a minimum of 229cm and a maximum of 290cm above the floor to be safe and effective

To mount a ceiling fan in a conservatory, a 'Big Strip Fastener' maybe required. See page 55.

To convert a flush mount fan to a drop mount fan, you will need a conversion kit.



Fantasia Distribution Ltd
Unit B, The Flyers Way, Westerham, Kent TN16 1DE, United Kingdom
T: +44 (0)1959 564440 F: +44 (0)1959 564829
info@fantasiaceilingfans.com
twitter: @FansByFantasia
facebook.com/FantasiaUK



www.fantasiaceilingfans.com