



Vertical Slider Window System



For the best profile... **anywhere**

...a modern classic window system

Heritage needn't mean compromise

The Vertical Slider Window System from **VEKA** brings together three powerful elements – one of today's most popular window styles, the industry-leading fully sculptured Matrix FS profile system and the world renowned **VEKA** brand.

Now fabricators and installers can offer a vertical sliding window with the technical excellence and superb good looks that come with this highly-acclaimed frame system coupled with a name that is respected by specifiers everywhere – **VEKA**.



BS EN 12608
KM 12875



BS EN ISO14001: 2004
EMS 59308



BS EN ISO9001: 2008
FM 01414

The VEKA Vertical Slider

The choice of fabricators:

Advanced design enables quick and efficient frame fabrication and glazing with a maximum frame size of 1400mm X 2400mm.

The choice of installers:

Slimline outer frame (136mm X 68mm) improves installation flexibility – but retains complete compatibility with existing **VEKA** fixing brackets.

The choice of homeowners:

A great looking window ensures strong demand from the retrofit sector as well as new-build. The pleasing slimline appearance belies a high performance energy efficient design. Slimline sashes offer improved window aesthetics and maximised Window Energy Rating performance.

The choice of specifiers:

VEKA remains the No.1 choice of social and commercial specifiers throughout Britain and Ireland with a reputation second-to-none for technical excellence and superb good looks.

More choice

Cill:

- Universal design allows for either overhanging or stub cill.
- Rear projection resulting in less complex fabrication and improved weather performance. Standard leg detail enables the use of existing **VEKA** fixing brackets.

Horns:

- Without horn
- Screw-on horn
- Machined into upper jambs



Finish:

- Brilliant white
- Golden Oak foil on caramel profile
- Rosewood foil on brown profile

Gearing:

The system is designed with bespoke gearing features to give fabricators free choice to use components from any of the major gearing suppliers including heavy duty spring balances. Gearing features within the profile allow correct and secure location of gearing fittings. It also allows fitting of trickle vents within the head of the frame.



...a modern classic window system



Glazing thickness:


The system is designed primarily to accommodate a 28mm glazing thickness but can be used with any of the Matrix 58 bead range to give a variety of thicknesses.

Bottom sash:

The system offers two bottom sash options: four-sided fully-welded or three-sided welded with mechanically coupled deep bottom rail.







The Vertical Slider Window System from **VEKA**

Outstanding weather performance

Traditional features

Optional Georgian bars

Choice of colours

Maximised Window Energy Rating

Slimline sash



VEKA plc

VEKA plc Farrington Road, Rossendale Road Ind. Est, Burnley, Lancashire, BB11 5DA.

Tel: 01282 716611 Fax: 01282 725257 e-mail: salesenquiry@veka.com

www.vekauk.com